

Artificial Penetration No. 594

Gulf Production
Kishi-Lang "B" #7

IMPORTANT NOTICE: This is the first record the Railroad Commission has of any well. It is made the basis of all subsequent correspondence. Hence it must be accurate.

NOTIFICATION OF INTENTION TO DRILL ~~DEEPEN, PLUG OR SHOOT~~

(To comply with Orders of the Railroad Commission of Texas, governing Oil and Gas Operations in Texas.)

DESCRIPTION OF PROPERTY:

In order that the well covered by this notice may be definitely and accurately located on maps in the office of the Commission, draw in the space below, in ink, a sketch of the lease or block and lot, giving name and number, and indicate thereon the exact location of the well. Also show the distance, in feet, of the well from the two nearest boundaries of the lease, giving names of the adjoining lease or property owners in these directions.

Scale: 400 feet to 1 inch. If less than 2 acres, 40 feet to 1 inch.

Use back hereof for sketch if necessary.

North

West

See Per Plat attached

South

East

This notice must be mailed in sufficient time to reach the Railroad Commission at least five days before drilling or deepening is begun, twenty-four hours before plugging or two days before shooting, or given direct to a Deputy Supervisor of the Commission, so that, in any event, the Commission may have a representative present when well is being shot or plugged if it deems advisable. No permit to begin drilling is necessary.

Date HOUSTON, TEXAS. 1-6-'23.

County ORANGE.

Survey JAS. DYSON LEAGUE.

Block No. 20 Lot No. 20

Lessor or Owner:

Name KISHI-LANG "B"

Address

Lessee or Sub-lessee:

Name GULF PRODUCTION CO.,

Address HOUSTON, TEXAS.

Date drilling is to start 1-10-'23. Well No. 7.

Date you wish to plug — Well No. —

Date you wish to shoot — Well No. —

20 4 40 0'
If desired that correspondence regarding this well be addressed to other than the principal office of the company, show below name of party directly in charge:

Name GULF PRODUCTION CO.,


P.O. DRAWER 1791,

Address HOUSTON, TEXAS.

Mail to

RAILROAD COMMISSION OF TEXAS, Austin, Texas.

Rule 37. No well for oil or gas shall hereafter be commenced nearer than three hundred (300) feet to any other completed or drilling well on the same or adjoining tract or farm; and no well shall be drilled nearer than one hundred and fifty (150) feet to any property line; provided, that the Commission, upon petition filed, showing good cause, and provided that no injustice will be done, may, after hearing had, upon notice to adjoining tract owners or lessees, allow drilling within shorter distances than as above described. Rule 37 shall not for the present be enforced within the developed and defined oil fields known as the Gulf Coast Fields.



COW BAYOU, ORANGE COUNTY.

Gulf Production Co. #7 Kishi-Lang "B", 880' E 150' S of NW cor G.P.Co.
20 Ac. Kishi-Lang "B" Lease, Jas. Dyson League.

Scale 1"=400'.

52009

FORM 1.
RAILROAD COMMISSION OF TEXAS—OIL AND GAS DIVISION
Austin, Texas

IMPORTANT NOTICE: This is the first record the Railroad Commission has of any well. It is made the basis of all subsequent correspondence. Hence it must be accurate.

NOTIFICATION OF INTENTION TO ~~DRILL~~ DEEPEN, PLUG OR SHOOT

(To comply with Orders of the Railroad Commission of Texas, governing Oil and Gas Operations in Texas.)

DESCRIPTION OF PROPERTY:

In order that the well covered by this notice may be definitely and accurately located on maps in the office of the Commission, draw in the space below, in ink a sketch of the land, block and lot, giving name and number, and indicate thereon the exact location of the well. Also show the distance, in feet, of the well from the two nearest boundaries of the lease and from the nearest well. Give names of the adjoining lease or property owners.

Scale: 400 feet to 1 inch. If less than 2 acres, 40 feet to 1 inch.

Use back hereof for sketch if necessary.

NORTH.

This notice must be delivered to Deputy Supervisor or to the Railroad Commission as prescribed by Rules 9, 10 and 23, before drilling, deepening, plugging or shooting, so that the Commission may, if it desires, have a representative present.

Date Houston, TEX. 6/5/23

County Orange

Survey Jas. Hyson Leagues

Block No.

Sec. No.

Number of acres 20.

Name of farm or lease

Name Kishi Lang "B"

Address -

Name of company or operator

Name Guez Production Co

Address BX 1791 Houston Tex.

Date Drilling is to start 6/11/23

Well No. 7 (200)

Depth to which you propose to drill 3400' feet.

Date you wish to plug -

Well No. -

(You must also give notice to adjacent leasees).

Date you wish to shoot -

Well No. -

Number of quarts to be used -

WEST

EAST

As PER PLAT ATTACHED.

RECEIVED

JUN 6 1923

RAILROAD COMMISSION
O. & G. DIVISION

SOUTH

Deliver to Deputy Supervisor in charge of that field or mail to

RAILROAD COMMISSION OF TEXAS, Austin, Texas.

Rule 37. No well for oil or gas shall hereafter be commenced nearer than three hundred (300) feet to any other completed or drilling well on the same or adjoining tract or farm; and no well shall be drilled nearer than one hundred and fifty (150) feet to any property line; provided, that the Commission, in order to prevent waste or to protect vested rights, will grant exceptions permitting drilling within shorter distances than as above prescribed, upon application filed fully stating the facts, notice thereof having first been given to all adjacent leasees affected thereby. Rule 37 shall not for the present be enforced within the proven oil fields of the Gulf Coast.

Form 1018b-M351-1222-10m

COW BAYOU.

ORANGE COUNTY.

Gulf Production Company, 7 Kishi-Lang "B", 885' E along N line from NW
cor. O. P. Co. 80 Ac. Kishi-Lang "B" lease, and 150' S at rt.
ang. to said line. James Dymon League.

Scale 1" = 400'.

RECEIVED

JUN 6 1923

RAILROAD COMMISSION
O. & G. DIVISION

OPERATING RECORD

Show all formations, quantity of work and character and amount of work.

FORMATION	TOP	BOTTOM	REMARKS
Drilled out back pressure valve at 3053' and drilled deeper as follows:			
Gumbo	3053	3078	
Sand & Shale	3078	3149	
Gumbo	3149	3156	
Shale	3156	3168	
Gumbo	3168	3165	
Sand & Shale	3165	3180	

STRAINER RECORD

3180'		Bottom of Hole	
3' 4"	4 1/2"	Set shoe & B P Valve	
3176' 8"			
20' 11"	4 1/2"	70 Mesh Brass wire wrapped strainer	
3155' 9"			
5' 5"	4 1/2"	Canvas bootleg packer	
3150' 4"			
207' 11"	4 1/2"	Blank Pipe	
2942' 5"			
6' 9"	4 1/2" x 6 5/8"	M I W Seal.	
2935' 8"		Sealed in 6 5/8" Casing.	

Method of shutting off water..... Is water completely shut off?
 Amount of water with oil..... per cent.

I, _____ being first duly sworn on oath, state that I have knowledge of the facts and matter herein set forth and that the same are true and correct.

Subscribed and sworn to before me this the 19 day of June 1923

W. B. Buchanan
 Representative of Company.

C. F. Harris
 Notary Public
 Harris County, Texas

52009

Form No. 2 JUN 22 1923

RAILROAD COMMISSION WELL RECORD
O. & G. DIVISION

Mail to Railroad Commission of Texas, Austin, Texas

Orange Texas

Orange Texas

Gulf Production Co

County:

Conclusions

Kishi Lang "B"

Survey Jas. Dyson League

Flock No.

Lot No.

Abstract

Lang Kishi Lang "BB"

Well No. 7 (Drilled deeper)

Drilling Commenced June 2nd 1923 19

Drilling Completed June 16th 1923

Correspondence regarding this well should be sent to Name Gulf Production Co Address

P O Drawer 1791 Houston Texas

CASING RECORD

[illegible]

Initial Production of Gas—Volume_____Pressure_____

Initial Production of Oil--Barrels. On air 175 Bbls Fluid 45% B S & W.

Remarks:

DESCRIPTION OF PROPERTY:

NORTH

GENERAL REMARKS:

SOUTE

FORMATION RECORD

52009

Show all Formations, capacity of each and character and contents thereof.

FORMATION	TOP	BOTTOM	REMARKS
Clay	0	18	
Sand	18	90	
Gumbo	90	333	
Sand	333	343	
Gumbo	343	352	
Sand & Gravel	352	408	
Gumbo	408	495	
Sand & Gravel	495	580	
Gravel	580	644	
Gumbo	644	652	
Shale & Blders	652	708	
Sand & Gravel	708	920	
Hard Sand & Blders	920	945	
Sand Shale & Blders	945	998	
Sand & Gravel	998	1090	
Gumbo	1090	1110	
Sand & Blders	1110	1140	
Gumbo & Blders	1140	1240	
Sand & Gravel	1240	1275	
Gumbo	1275	1300	
Sand Rock	1300	1304	
Sand & Blders	1304	1335	
Gumbo	1335	1340	
Sand & Blders	1340	1350	
Gumbo & Blders	1350	1396	
Shale & Blders	1396	1415	
Gumbo	1415	1460	
Shale & Blders	1460	1527	
Gumbo & Blders	1527	1549	
Sand	1549	1560	
Gumbo	1560	1623	
Shale & Blders	1623	1667	
Gumbo	1667	1730	
Sand & Blders	1730	1761	
Gumbo & Blders	1761	1910	
Shale & Blders	1910	1950	
Gumbo & Blders	1950	2060	
Sand & Blders	2060	2110	
Gumbo & Blders	2110	2242	
Sand & Blders	2242	2300	
Gumbo	2300	2320	
Sand & Blders	2320	2340	
Gumbo & Lime	2340	2360	
Sand & Shale	2360	2372	
Gumbo	2372	2406	
Rock	2406	2408	
Gumbo	2408	2467	
Sand Shale & Blders	2467	2507	
Gumbo	2507	2533	
Sand Rock	2533	2575	
Sand & Boulders	2575	2580	
Gumbo	2580	2647	
Sand Lime & Shale	2647	2673	

RECEIVED

MAR 30 1923

RAILROAD COMMISSION

Method of shutting off water _____ Is water completely shut off? _____
 Amount of water with oil _____ per cent _____

I, _____
 being first duly sworn on oath, state that I have knowledge of the facts and matter herein set forth and that the same are true and correct.

Subscribed and sworn to before me this _____ day of _____, 1923.
 Representative of Company.

Notary Public.

FORMATION RECORD

Show all Formations, especially all sands and character and contents thereof.

FORMATIONS	TOP	BOTTOM	REMARKS
Gumbo	2673	2663	
Lime Rock	2663	2712	
Gumbo	2712	2740	
Sand & Shale	2740	2753	
Gumbo	2753	2768	
Hard Sand	2768	2771	
Rock	2771	2782	
Gumbo	2782	2839	
Gumbo & Shale	2839	2845	
Gumbo	2845	2872	
Sand & Shale	2872	2881	
Gumbo	2881	2890	
Gumbo & Shale	2890	2894	
Gumbo	2894	2980	
Sand Shale & Shell	2980	2985	
Gumbo	2985	3024	
Sand & Elders	3024	3026	
Gumbo	3026	3028	
Sand & Shale	3028	3047	
Gumbo	3047	3053	

RECEIVED

MAR 10 1923

PAID BY DEPT. OF COMMISSION

STRAINER RECORD

3053'		Bottom of hole
7'		Set shoe & 3 P Valve
3045'	8"	
22'	5"	6 5/8" Strainer 7 Mesh Betty.
3023'	3"	
9'	5"	6 5/8" Canvas Packer
3013'	7"	Canvas Packer
19'	7"	6 5/8" Strainer 7 Mesh Betty
2994'	0"	6 5/8" Casing to top of hole

Method of shutting off water..... Is water completely shut off?

Amount of water with oil..... per cent.

I, being first duly sworn on oath, state that I have knowledge of the facts and matter herein set forth and that the same are true and correct.

H. B. Buchanan
Representative of Company.

Subscribed and sworn to before me this 21 day of March 1923

G. F. P.

Form No. 1

RECEIVED

MAR 30 1923

Mail to Railroad Commission of Texas, Austin, Texas

ORDER

ORANGE
County.

NEWROAD COMMUNICATIONS Co.
COMPUTER DIVISION

COMPTON DIVISION

Keywords:

Abstract

Lot No.

20

Kish1-Leng ("B")

Vol. 12 No. 7.

Drilling Commenced January 20

23

Drilling Completed March 28

—1923

Correspondence regarding this well should be sent to Name

Gulf Production Co.

Houston, Texas

Address HOUSTON, TX
P.O. Drawer 1791

CASING RECORD

[illegible]

Initial Production of Gas—Volume

Keywords:

Initial Production of Oil—Barrels P. 125 Bbls. Oil.

Remarks :

DESCRIPTION OF PROPERTY:

GENERAL REMARKS:

NORTH

又回来了

PLATE 1

ROUTE